Supplied by Chicago Glue Machine & Supply Co 800-419-4583 MATERIAL SAFETY DATA SHEET



1260 S. Old St. Rd. 67 Mooresville, IN 46158 (317) 834-5415

		Revision Date: //8/10
		cation
		50600 50600 extrin
		gredients
CAS No.	Wt %	Exposure Limits
•	<u>l</u>	
3.		
s are irritating to thering and redness. IN oat, lungs). SKIN: Co	respiratory tract. (InlEY HALATION: Inha ontact may cause sProTh	Contact may cause skin irritation. malation, skin and eye contact. YES: Direct contact with this material may cause lation of vapor or aerosol causes irritation of kin irritation. INGESTION: No hazard in normal colonged contact with skin may cause irritation and his material does not contain 0.1% or more of any er (IARC), The National Toxicology Program
	4. First Aid Meas	sures
tes, Lifting Upper ar Eyes. t medical attention if	nd Lower Lids. GetW f irritation developsRe	•
	CAS No. CAS No. Rating: 110A 3. s are irritating to the ring and redness. IN pat, lungs). SKIN: Communicational Agency for Occupational Safety tes, Lifting Upper ar Eyes. t medical attention if	Rating: 110A 3. Hazards Identifi We sare irritating to the respiratory tract. Community in the same irritating to the respiratory tract. Community in the same irritating to the respiratory tract. Community in the same irritation is a same irritation develops. A. First Aid Meast irritation develops. We take the same irritation develops. We take the same irritation develops. We take the same irritation develops. Recommunity irritation develops. Recommunity irritation develops. Recommunity irritation develops. Recommunity irritation develops.

Supplied by Chicago Glue Machine & Supply Co 800-419-4583 MATERIAL SAFETY DATA SHEET

Special Fire Fighting Procedures		
	fumes.	
Fire & Explosion Hazards	Negligible Fire Hazard when Exposed to Heat or Flame	
NFPA Flammability Hazard Class	1 = Slight	
5. Fire Fightin		
Flash Point	Not applicable	
Flammable limits in Air (Lower)		
Flammable Limits in Air (Upper)		
Auto-ignition		
to Protect against Potentially Toxic and Irritating fumes.	Alcohol Foam Sen -Contained Breathing Apparatus	
Fire & Explosion Hazards	This material will not burn unless evaporated to	
dryness. Closed containers may rupture when exposed to ex		
Hazardous Combustion Products		
released during combustion.		
NFPA Flammability Hazard Class	1 = Slight	
6. Accidental Release Measures		
Spill or Leak Procedures	Vater; Collect Wash Water for Approved Disposal. Do Waste Disposal Should be in Accordance with	
7. Handling a	and Storage	
Handling/Storage		
8. Exposure Controls	/ Personal Protection	
Conditions under Which PPE Required		
Eye Protection Requirements	Wear Safety Glasses with Side Shields.	
Glove Requirements		
Clothing Requirements	=	
Change/Removal of Clothing	=	
Wash Requirements	-	
Respirator Requirements	Not kequirea, under normal use	

Supplied by Chicago Glue Machine & Supply Co 800-419-4583 MATERIAL SAFETY DATA SHEET

Engineering Controls		
HMIS III PPE Rating		
(OSHA) Permissable Exposure Limits (PEL) estab		
9. Physical and Chemical Properties		
Pure Material or Mixture		
Physical Form		
Odor	U 1	
PH as is	· · · · · · · · · · · · · · · · · · ·	
Boiling Point		
Freezing Point		
Solubility in Water		
Specific Gravity (Water =1)		
Bulk Density	8.3lb/gal	
Volatiles	93%	
Evaporation Rate		
Vapor Pressure (mmHg)	same as water	
Vapor Density (Air = 1)		
Volatile Organic Compounds		
	not determined	
	ability and Reactivity	
	Stable at normal temperatures and storage conditions	
Incompatibilities		
NFPA Reactivity Hazard Class		
Hazardous Decomposition Products		
Hazardous Polymerization		
	·	
	cicological Information 	
Acute Eye Toxicity	No information is available	
Acute Skin Toxicity		
Acute Inhalation Toxicity		
Acute Oral Toxicity		
	search on Cancer (IARC), The National Toxicology Program	
	onal Safety and Health Administration (OSHA) as a carcinogen.	
	cological Information	
Ecotoxicity		
Environmental Fate	No information is available	

Supplied by Chicago Glue Machine & Supply Co 800-419-4583 MATERIAL SAFETY DATA SHEET

13. Disposal Considerations

Waste Disposal Method			
15. Regulatory Information			
OSHA			
TSCA			
SARA Title III: Section 313 Toxic Chemical List: This product may contain the following substances at or above de minimus concentrations: NONE			
California Proposition 65.			
16. Other information			

"OUR SERVICE ENGINEERS ARE AVAILABLE TO HELP PURCHASERS OBTAIN BEST RESULTS FROM OUR PRODUCT, AND RECOMMENDATIONS ARE BASED ON TEST AND INFORMATION BELIEVED TO BE RELIABLE. HOWEVER, WE HAVE NO CONTROL UNDER WHICH OUR PRODUCTS ARE TRANSPORTED TO, STORED, HANDLED, OR USED BY PURCHASERS AND, IN ANY EVENT, ALL RECOMMENDATIONS AND SALES ARE MADE ON CONDITION THAT WE WILL NOT BE HELD LIABLE FOR ANY DAMAGES RESULTING FROM THEIR USE. NO REPRESENTATIVE OF OUR HAS ANY AUTHORITY TO WAIVE OR CHANGE THIS PROVISION."