SAFETY DATA SHEET



1. Identification

Product identifier **CNTOP Pigment Ink Yellow ver.R**

Use in accordance with supplier's recommendations. Recommended use

Recommended Restrictions Industrial Use Only

Shenzhen Cntop Printing Equipment Co., Ltd. Company Name

NO 322, Yuanhu Rd, Zhangbei Industrial Area. Xinlian

Community, Longcheng street, Longgang

district, Shenzhen, 518172 China

cntop@vip.163.com

+86-755- 23217841 Fax number Emergency phone number +86-755- 23007775

2. Hazards identification

GHS classification

Physical hazards Not classified. Not classified. Health hazards Not classified. **Environmental hazards**

GHS label elements

Signal word None. None. Hazard symbols None. Hazard statement

Precautionary statement

Prevention None. Response None. Storage None. None. Disposal

Supplemental information 9.9 % of the mixture consists of component(s) of unknown acute oral toxicity. 15.15 % of the

> mixture consists of component(s) of unknown acute dermal toxicity. 43.69 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 25.69 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 25.69 % of the mixture

consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Components	CAS#	Percent	
WATER	7732-18-5	45-55	
hydrosoluble solvent	Trade secret	20-30	
2-(2-BUTOXYETHOXY)ETHANOL	112-34-5	1 - 5	
Pigment	Trade secret	1-5	_

4. First aid measures

First aid procedures

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Inhalation

Call a physician if symptoms develop or persist.

Skin Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth thoroughly. Get medical advice/attention if you feel unwell. Ingestion

Most important symptoms and effects, both acute and

delayed

Prolonged exposure may cause chronic effects.

Notes to physician Symptoms may be delayed.

Product Name: CNTOP Pigment Ink Yellow ver.R Company name: Shenzhen Cntop Printing Equipment Co., Ltd. SDS GHS UN Product ID 15518 Issue date: 11-April-2017 Revision date: 1/5 General advice Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Avoid water in straight hose stream; will scatter and spread fire.

Water spray. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Specific hazards arising from

the chemical

Protective equipment and precautions for firefighters

Protection of fire-fighters

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear

suitable protective equipment.

Move containers from fire area if you can do so without risk. Water runoff can cause environmental

damage.

Accidental release measures

Personal precautions Keep unnecessary personnel away. Ensure adequate ventilation. Keep people away from and

> upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained. Wear suitable protective clothing, gloves and eye/face protection. Keep unnecessary

personnel away. For personal protection, see section 8 of the SDS.

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not **Environmental precautions**

contaminate water. Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up

Use water spray to reduce vapours or divert vapour cloud drift. This product is miscible in water.

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is

possible. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Handling Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect

material from direct sunlight. Do not breathe mist or vapour. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. Do not use in areas without adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Avoid release to the environment. Do not empty into drains. Observe good industrial

hygiene practices.

Store in a cool, dry place out of direct sunlight. Keep away from heat, sparks and open flame. Store Storage

> in original tightly closed container. Keep container tightly closed. Store in a well-ventilated place. Keep away from food, drink and animal feeding stuffs. Use care in handling/storage. Store away

from incompatible materials (see Section 10 of the SDS). Store in accordance with

local/regional/national/international regulation.

8. Exposure controls / personal protection

Control parameters

US. ACGIH Threshold Limit Values

Form Components Value Type 2-(2-BUTOXYETHOXY)ETHA **TWA** Inhalable fraction and 10 ppm

NOL (CAS 112-34-5) vapor.

Engineering controls Provide adequate general and local exhaust ventilation.

Personal protective equipment

Eye/face protection Chemical goggles and face shield are recommended. Wear safety glasses with side shields (or

goggles).

Skin protection Wear suitable protective clothing.

Chemical respirator with organic vapour cartridge. Respiratory protection

Hand protection Wear appropriate chemical resistant gloves.

9. Physical and chemical properties

Appearance

Liquid. Physical state

Company name: Shenzhen Cntop Printing Equipment Co., Ltd. Product Name: CNTOP Pigment Ink Yellow ver.R Issue date: 11-April-2017 Revision date: Product ID 15518 2/5

SDS GHS UN

Colour Yellow.
Form Liquid.
Odour Slight.

Odour threshold Not available.

pH 7 - 10

Melting point/Freezing point Not available.

Boiling point $> 100 \, ^{\circ}\text{C} \, (> 212 \, ^{\circ}\text{F})$

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Flammability limits in air, Not available.

lower, % by volume

Flammability limits in air, Not available.

upper, % by volume

Vapour pressure Not available.
Vapour density Not available.

Solubility(ies)

Solubility (water) dispersible in water
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity < 15 mPa·s @25°C

Specific gravity Not available.

Density 1.05 - 1.15 g/cm3 @25°C

Other data

Surface tension 30 - 40 mN/m @25°C

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials. Avoid exposure to high temperatures

or direct sunlight.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Toxicological data

Components Species Test results

2-(2-BUTOXYETHOXY)ETHANOL (CAS 112-34-5)

<u>Acute</u>

Dermal

LD50 Rat 2000 mg/kg

Oral

LD50 Rat 5000 mg/kg

Routes of exposure Inhalation.

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Not available.
Serious eye damage/eye Not available.

irritation

Respiratory sensitiser Not available.
Skin sensitisation Not available.
Mutagenicity Not available.

Company name: Shenzhen Cntop Printing Equipment Co., Ltd.

Issue date: 11-April-2017 Revision date:

Product Name: CNTOP Pigment Ink Yellow ver.R

Product ID 15518

3 / 5

Carcinogenicity Not available.
Reproductive toxicity Not available.
Specific target organ toxicity Not available.

- single exposure

Specific target organ toxicity

- repeated exposure

Not available.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

Symptoms Not available.

Other information Not available.

12. Ecological information

Ecotoxicological data

Components Species Test results

2-(2-BUTOXYETHOXY)ETHANOL (CAS 112-34-5)

Aquatic Acute

Algae EC50 Green algae (Scenedesmus bijugatus) > 100 mg/l, 96 hours Crustacea EC50 Daphnia magna > 100 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 1300 mg/l, 96 hours

Ecotoxicity Contains a substance which causes risk of hazardous effects to the environment.

Persistence and degradability Not available. Bioaccumulation Not available.

Mobility This product is miscible in water.

Hazardous to the ozone layer No data available.

Other information Not available.

13. Disposal considerations

Disposal methods Dispose of contents/container in accordance with local/regional/national/international regulations.

Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. This material and its container must be disposed of as hazardous waste. Contract with a disposal operator licensed by the Law on Disposal and Cleaning. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial

waste.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

Regulatory information Ensure this material in compliance with federal requirements and ensure conformity to local

regulations.

Montreal Protocol
Not applicable.
Rotterdam Convention
Not applicable.
Stockholm Convention

Not applicable.

Issue date: 11-April-2017

Company name: Shenzhen Cntop Printing Equipment Co., Ltd.

Revision date:

Product Name: CNTOP Pigment Ink Yellow ver.R

Product ID 15518 4 / 5

SDS GHS UN

16. Other information

Issue date 11-April-2017

Bibliography ACGIH

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Disclaimer This safety data sheet was prepared in accordance with 1

This safety data sheet was prepared in accordance with JIS Z 7253:2012. The information in the sheet was written based on the best knowledge and experience currently available. This product is intended for industrial use only. Should it ever be applied for medical or other purposes, this is completely the responsibility of the purchaser. Ingesting or injecting this product or using it in such a manner that some of it might remain within the body is forbidden. Do not do this under any circumstances. This information is based upon the latest data available to us, but should not be read as a guarantee of the contents, physical properties or danger and harmfulness levels. Since all chemicals may have hitherto unknown deleterious properties, care should always be taken during use. It is the responsibility of every user to establish the necessary safety precautions before employment. In addition, the present information is intended for normal usage; however, if special usage is contemplated, then the appropriate safety precautions and application conditions should

be carefully prepared.

Company name: Shenzhen Cntop Printing Equipment Co., Ltd. Issue date: 11-April-2017 Revision date:

Product Name: CNTOP Pigment Ink Yellow ver.R Product ID 15518