Material Safety Data Sheet



ARTISTRI™ F700 CLEANING SOLUTION

Version 2.0

Revision Date 08/14/2014 Ref. 130000123071

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

ARTISTRI[™] F700 CLEANING SOLUTION Product name

MSDS Number 130000123071

Product Use Printing ink

Manufacturer DuPont

> 1007 Market Street Wilmington, DE 19898

 Product Information
 : 1-302-774-1000

 Medical Emergency
 : 1-800-441-3637 (outside the U.S. 1-302-774-1139)

 Transport Emergency
 : CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Potential Health Effects

: Causes skin irritation. Skin

Eyes : Causes eye irritation.

Inhalation Causes: Respiratory irritation

Ingestion may cause gastrointestinal irritation, nausea, vomiting and Ingestion

diarrhoea.

Repeated exposure : Kidney damage, Liver effects, altered blood chemistry

Target Organ : Kidney, Liver, Respiratory Tract

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC,

NTP, or OSHA, as a carcinogen.

Material Safety Data Sheet



ARTISTRI[™] F700 CLEANING SOLUTION

Version 2.0

Revision Date 08/14/2014 Ref. 130000123071

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Aliphatic alcohol		<10 %
Ethane-1,2-diol	107-21-1	<10 %
Non regulated ingredients		>80%

Any component not specifically identified is considered a trade secret. Properties and potential hazards of any trade secret component are included in this safety data sheet.

SECTION 4. FIRST AID MEASURES

Skin contact : Wash off immediately with plenty of water. Wash contaminated clothing

before re-use. Get medical attention if irritation develops and persists.

Eye contact : Immediately flush eye(s) with plenty of water. Seek medical advice.

Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not

breathing, give artificial respiration. Get medical attention.

Ingestion : Is not considered a potential route of exposure. If swallowed Do NOT induce

vomiting. Call a physician or poison control centre immediately.

SECTION 5. FIREFIGHTING MEASURES

Flammable Properties

Flash point : > 93.34 °C (200.01 °F)

Method : closed cup

2/9



Version 2.0

Revision Date 08/14/2014 Ref. 130000123071

Fire and Explosion Hazard : Not a fire or explosion hazard. Cool closed containers exposed to fire with

water spray.

Suitable extinguishing media : Not combustible.

Use extinguishing measures that are appropriate to local circumstances and

the surrounding environment.

Keep containers and surroundings cool with water spray.

Firefighting Instructions : Immediately evacuate personnel to safe areas. Wear suitable protective

equipment. Wear self-contained breathing apparatus for firefighting if

necessary.

Use extinguishing measures that are appropriate to local circumstances and

the surrounding environment. Cool containers/tanks with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear

suitable protective equipment.

Spill Cleanup : Contain spill. Soak up with inert absorbent material. Collect and contain

contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated

surface thoroughly.

Accidental Release Measures : Prevent further leakage or spillage if safe to do so. Prevent product from

entering drains. Clean contaminated floors and objects thoroughly while

observing environmental regulations.

Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE



Version 2.0

Revision Date 08/14/2014 Ref. 130000123071

Handling (Personnel) : Avoid breathing vapours or mist. Keep away from heat and flame. Do not use

in areas without adequate ventilation.

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Contaminated work clothing should not be allowed out of the workplace. Remove contaminated clothing and protective equipment before entering eating areas. Remove and wash

contaminated clothing before re-use.

Handling (Physical Aspects) : Keep away from heat and sources of ignition. Avoid formation of aerosol.

Storage : Store at room temperature in the original container. Keep away from sources

> of ignition - No smoking. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Keep

container closed when not in use. Do not reuse empty container.

Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Local exhaust or a laboratory hood should be used when handling the

materials. Maintain air concentrations below occupational exposure

standards.

Personal protective equipment

Respiratory protection : Provide adequate ventilation.

Hand protection : Material: Impervious gloves

Eye protection : Wear safety glasses with side shields.

Exposure Guidelines Exposure Limit Values

Ethane-1,2-diol

100 mg/m3 TLV-C Aerosol. TLV (ACGIH)

AEL* (DUPONT) 10 mg/m3 8 & 12 hr. TWA Particulate.

AEL* (DUPONT) 50 ppm 8 & 12 hr. TWA Vapor.



ARTISTRI™ F700 CLEANING SOLUTION

Version 2.0

Revision Date 08/14/2014 Ref. 130000123071

TLV (ACGIH) 100 mg/m3 TLV-C Aerosol.

AEL * (DUPONT) 10 mg/m3 8 & 12 hr. TWA Particulate.

AEL * (DUPONT) 50 ppm 8 & 12 hr. TWA Vapor.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid
Color : light yellow
Odor : slight
pH : 8.5
Density : 1.1 g/cm3
Water solubility : miscible

SECTION 10. STABILITY AND REACTIVITY

Stability : Stable at normal temperatures and storage conditions.

Hazardous decomposition

products

: no data available:

Hazardous reactions : None reasonably foreseeable.

SECTION 11. TOXICOLOGICAL INFORMATION

Aliphatic alcohol

Dermal LD50 : 20,800 mg/kg , Rabbit

Oral LD50 : 20,000 mg/kg , Rat

Inhalation 4 h LC50 : > 5 mg/l, Rat

5/9

^{*} AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.



Version 2.0

Revision Date 08/14/2014 Ref. 130000123071

Skin irritation : slight irritation, Rabbit

Eye irritation : slight irritation, Rabbit

Skin sensitization : Patch test on human volunteers did not demonstrate sensitisation

properties., human

Carcinogenicity : Not classifiable as a human carcinogen.

Did not show carcinogenic effects in animal experiments.

Mutagenicity : Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Did not show mutagenic effects in animal experiments. Did not cause genetic damage in cultured mammalian cells. Did not cause genetic damage in cultured bacterial cells.

Reproductive toxicity : No toxicity to reproduction

Evidence suggests the substance is not a reproductive toxin in

animals.

Teratogenicity : Did not show teratogenic effects in animal experiments.

Ethane-1,2-diol

Dermal LD50 : > 3,500 mg/kg, Mouse

Oral LD50 : 1,650 mg/kg , Cat

Skin irritation : No skin irritation, Rabbit

Eye irritation : No eye irritation, Rabbit

Skin sensitization : Does not cause skin sensitisation., human

Repeated dose toxicity : Oral

Rat

Target Organs: Kidney

Kidney damage

Carcinogenicity : Not classifiable as a human carcinogen.

Animal testing did not show any carcinogenic effects.

Mutagenicity : Animal testing did not show any mutagenic effects.

6/9



Version 2.0

Revision Date 08/14/2014 Ref. 130000123071

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Reproductive toxicity : No toxicity to reproduction

No effects on or via lactation

Animal testing showed no reproductive toxicity.

Teratogenicity Evidence suggests the substance is not a developmental toxin in

animals.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity Aliphatic alcohol

96 h LC50

Oncorhynchus mykiss (rainbow trout) 51,600 mg/l

96 h EC50 Pseudokirchneriella subcapitata (green algae) 19,000 mg/l

48 h LC50 Daphnia magna (Water flea) 43,500 mg/l

Ethane-1,2-diol

96 h LC50 Pimephales promelas (fathead minnow) 72,860 mg/l

96 h ErC50 Pseudokirchneriella subcapitata (green algae) 6,500 mg/l

48 h EC50 Daphnia magna (Water flea) > 100 mg/l OECD Test Guideline 202

Environmental Fate

Aliphatic alcohol

Biodegradability : 79 %

Readily biodegradable.

Bioaccumulation Bioconcentration factor (BCF): 1.4

Bioaccumulation is unlikely.

Ethane-1,2-diol

Readily biodegradable. 90 - 100 % OECD Test Guideline 301 Biodegradability

Bioaccumulation is unlikely. Bioaccumulation

Material Safety Data Sheet



ARTISTRI™ F700 CLEANING SOLUTION

Version 2.0

Revision Date 08/14/2014 Ref. 130000123071

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : If recycling is not practicable, dispose of in compliance with local regulations.

Never place unused product down any indoor or out door drain.

Container Disposal : Do not reuse empty container.

Contaminated/not cleaned containers should be treated/handled like product

waste.

Dispose of container properly.

Refer to applicable Local, State/Provincial, and Federal Regulations, as well

as industry Standards.

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA : On the inventory, or in compliance with the inventory

SARA 313 Regulated

Chemical(s)

: Ethane-1,2-diol

Ethane-1,2-diol

CERCLA Reportable

able : 100,503 lbs

Quantity

Based on the percentage composition of this chemical in the product.:

Ethane-1,2-diol

California Prop. 65 : Chemicals known to the State of California to cause cancer, birth defects or

any other harm: none known

PA Right to Know : Substances on the Pennsylvania Hazardous Substances List present at



Version 2.0

Revision Date 08/14/2014 Ref. 130000123071

Regulated Chemical(s) a concentration of 1% or more (0.01% for Special Hazardous

Substances): Ethane-1,2-diol, Aliphatic alcohol

Substances on the Pennsylvania Hazardous Substances List present at

a concentration of 1% or more (0.01% for Special Hazardous

Substances): Propane-1,2-diol, Ethane-1,2-diol

NJ Right to Know Regulated Chemical(s) Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Ethane-1,2-diol,

Aliphatic alcohol

Substances on the New Jersey Workplace Hazardous Substance List

present at a concentration of 1% or more (0.1% for substances

identified as carcinogens, mutagens or teratogens): Propane-1,2-diol,

Ethane-1,2-diol

SECTION 16. OTHER INFORMATION

[®] DuPont's registered trademark Before use read DuPont's safety information.

For further information contact the local DuPont office or DuPont's nominated distributors.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.