Safety	Data	Sheet
--------	------	-------

Version 2.1

Revision Date 07/14/2015

Ref. 130000123071

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Product Use		STRI <sup>®</sup> F700 CLEANING SOLUTION ing agent
Restrictions on use Manufacturer/Supplier	: DuPo 974 C	ot use product for anything outside of the above specified uses nt Centre Road ngton, DE 19805, USA
Product Information Medical Emergency Transport Emergency	: 1-800	-774-1000 -441-3637 (outside the U.S. 1-302-774-1139) /ITREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

#### SECTION 2. HAZARDS IDENTIFICATION

### Product hazard category

Specific target organ toxicity - Category 2 repeated exposure

2

### Label content

Pictogram



Signal word

: Warning



Version 2.1

Revision Date 07/14/2015	Ref. 130000123071
Hazardous warnings	: May cause damage to organs through prolonged or repeated exposure. (Kidney)
Hazardous prevention measures	: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Get medical advice/ attention if you feel unwell. Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 4.975 %

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Ethane-1,2-diol	107-21-1	<10 %
Aliphatic alcohol		<10 %
Non regulated ingredients		>80%

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### **SECTION 4. FIRST AID MEASURES**

General advice

: Never give anything by mouth to an unconscious person. When symptoms persist or in all cases of doubt seek medical advice.



Version 2.1

Revision Date 07/14/2015	Ref. 130000123071
Inhalation	: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If breathing is irregular or stopped, administer artificial respiration. Get medical attention.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
Eye contact	: In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical advice/ attention.
Ingestion	: If swallowed, call a poison control centre or doctor immediately. Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Most important symptoms/effects, acute and delayed	: No applicable data available.
Protection of first-aiders Notes to physician	<ul> <li>No applicable data available.</li> <li>No specific intervention is indicated. Treat symptomatically.</li> </ul>

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, Dry chemical, Carbon dioxide (CO2)
Unsuitable extinguishing media	:	No applicable data available.
Specific hazards	:	Hazardous decomposition products formed under fire conditions. (see also section 10) Avoid breathing decomposition products.
Special protective equipment for firefighters	:	Exposure to decomposition products may be a hazard to health. Wear self- contained breathing apparatus for firefighting if necessary.

Safety Data Sheet	<b>OUPOND</b> <sub>®</sub>			
ARTISTRI <sup>®</sup> F700 CLEANII	NG SOLUTION			
Version 2.1				
Revision Date 07/14/2015	Ref. 130000123071			
Further information :	Evacuate personnel to safe areas. Stop spill/release if it can be done with minimal risk. Do not allow run-off from fire fighting to enter drains or water courses.			
SECTION 6. ACCIDENTAL RELEASE MEASURES				
	IEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. DTECTIVE EQUIPMENT during clean-up.			
Safeguards (Personnel) :	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear suitable protective equipment.			
Environmental precautions :	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Clean contaminated floors and objects thoroughly while observing environmental regulations.			
Spill Cleanup :	Contain spill. Soak up with inert absorbent material. Collect and contain contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated floors and objects thoroughly while observing environmental regulations.			
Accidental Release Measures :	Dispose of in accordance with local regulations.			
SECTION 7. HANDLING AND STOR	AGE			
Handling (Personnel) :	Avoid inhalation, ingestion and contact with skin and eyes. Do not use in areas without adequate ventilation. For personal protection see section "Exposure controls/personal protection" Handle in accordance with good industrial hygiene and safety practice. Keep container closed. Keep away from food and drink. Wash hands before eating, drinking, or smoking. Remove contaminated clothing and protective equipment before entering eating areas. Wash contaminated clothing before re-use.			
Handling (Physical Aspects) :	Normal measures for preventive fire protection.			
Dust explosion class : Storage :	No applicable data available. Keep containers tightly closed in a cool, well-ventilated place. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Do not reuse empty container.			
	4 / 12			



Version 2.1

Revision Date 07/14/2015	Ref. 130000123071
	Stable under normal conditions.
Storage period	: No applicable data available.
Storage temperature	: No applicable data available.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls	: Ensure adequate ventilation. Maintain air concentrations below occupational exposure standards. General mechanical ventilation is normally adequate but use local exhaust where necessary to maintain exposures below acceptable limits.
Personal protective equipment Respiratory protection	: No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.
Hand protection	: Material: Impervious gloves Additional protection: Gloves must be inspected prior to use., Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough., The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., The exact break through time can be obtained from the protective glove producer and this has to be observed., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Eye protection	: Wear safety glasses or coverall chemical splash goggles.
Skin and body protection	<ul> <li>Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.</li> <li>Lightweight protective clothing and safety shoes are recommended.</li> </ul>
Exposure Guidelines Exposure Limit Values	
Ethane-1,2-diol	
	5 / 12

Iower than the AEL are in effect, such SECTION 9. PHYSICAL AND CHEMICAL Appearance Physical state : liqui	Ref. 130000123071 i) 100 mg/m3 TLV-C Aerosol. NT) 10 mg/m3 & & 12 hr. TWA Particulate. NT) 50 ppm 8 & 12 hr. TWA Vapor. ure Limit. Where governmentally imposed occupational exposure limits which are h limits shall take precedence.
Version 2.1 Revision Date 07/14/2015 TLV (ACGIH AEL * (DUPON AEL * (DUPON AEL * (DUPON AIiphatic alcohol No applicable data available. Non regulated ingredients No applicable data available. * AEL is DuPont's Acceptable Exposulower than the AEL are in effect, such SECTION 9. PHYSICAL AND CHEMICAL Appearance Physical state : liqui	Ref. 130000123071 i) 100 mg/m3 TLV-C Aerosol. NT) 10 mg/m3 & & 12 hr. TWA Particulate. NT) 50 ppm 8 & 12 hr. TWA Vapor. ure Limit. Where governmentally imposed occupational exposure limits which are h limits shall take precedence.
Revision Date 07/14/2015 TLV (ACGIH AEL * (DUPON AEL * (DUPON AEL * (DUPON AEL * (DUPON AIphatic alcohol No applicable data available. Non regulated ingredients No applicable data available. * AEL is DuPont's Acceptable Exposu lower than the AEL are in effect, such SECTION 9. PHYSICAL AND CHEMICAL Appearance Physical state : liqui	4) 100 mg/m3 TLV-C Aerosol. NT) 10 mg/m3 8 & 12 hr. TWA Particulate. NT) 50 ppm 8 & 12 hr. TWA Vapor. ure Limit. Where governmentally imposed occupational exposure limits which are h limits shall take precedence.
TLV       (ACGIH         AEL *       (DUPON         AEL *       (DUPON         Aliphatic alcohol       No applicable data available.         Non regulated ingredients       No applicable data available.         * AEL is DuPont's Acceptable Exposulation       AEL are in effect, such         SECTION 9. PHYSICAL AND CHEMICAL       Appearance         Physical state       : liqui	4) 100 mg/m3 TLV-C Aerosol. NT) 10 mg/m3 8 & 12 hr. TWA Particulate. NT) 50 ppm 8 & 12 hr. TWA Vapor. ure Limit. Where governmentally imposed occupational exposure limits which are h limits shall take precedence.
AEL * (DUPON AEL * (DUPON AIiphatic alcohol No applicable data available. Non regulated ingredients No applicable data available. * AEL is DuPont's Acceptable Exposu lower than the AEL are in effect, such SECTION 9. PHYSICAL AND CHEMICAL Appearance Physical state : liqui	NT) 10 mg/m3 8 & 12 hr. TWA Particulate. NT) 50 ppm 8 & 12 hr. TWA Vapor. ure Limit. Where governmentally imposed occupational exposure limits which are h limits shall take precedence.
AEL * (DUPON AEL * (DUPON AIiphatic alcohol No applicable data available. Non regulated ingredients No applicable data available. * AEL is DuPont's Acceptable Exposu lower than the AEL are in effect, such SECTION 9. PHYSICAL AND CHEMICAL Appearance Physical state : liqui	NT) 10 mg/m3 8 & 12 hr. TWA Particulate. NT) 50 ppm 8 & 12 hr. TWA Vapor. ure Limit. Where governmentally imposed occupational exposure limits which are h limits shall take precedence.
AEL * (DUPON Aliphatic alcohol No applicable data available. Non regulated ingredients No applicable data available. * AEL is DuPont's Acceptable Exposu lower than the AEL are in effect, such SECTION 9. PHYSICAL AND CHEMICAL Appearance Physical state : liqui	NT) 50 ppm 8 & 12 hr. TWA Vapor. ure Limit. Where governmentally imposed occupational exposure limits which are h limits shall take precedence.
No applicable data available. Non regulated ingredients No applicable data available. * AEL is DuPont's Acceptable Exposu- lower than the AEL are in effect, such SECTION 9. PHYSICAL AND CHEMICAL Appearance Physical state : liqui	h limits shall take precedence.
No applicable data available. Non regulated ingredients No applicable data available. * AEL is DuPont's Acceptable Exposu- lower than the AEL are in effect, such SECTION 9. PHYSICAL AND CHEMICAL Appearance Physical state : liqui	h limits shall take precedence.
Non regulated ingredients No applicable data available. * AEL is DuPont's Acceptable Exposu lower than the AEL are in effect, such SECTION 9. PHYSICAL AND CHEMICAL Appearance Physical state : liqui	h limits shall take precedence.
No applicable data available. * AEL is DuPont's Acceptable Exposu- lower than the AEL are in effect, such <b>ECTION 9. PHYSICAL AND CHEMICAL</b> Appearance Physical state : liqui	h limits shall take precedence.
* AEL is DuPont's Acceptable Exposulower than the AEL are in effect, such <b>EECTION 9. PHYSICAL AND CHEMICAL</b> Appearance Physical state : liqui	h limits shall take precedence.
lower than the AEL are in effect, such EECTION 9. PHYSICAL AND CHEMICAL Appearance Physical state : liqui	h limits shall take precedence.
Form : liqui	
	it yellow
Odor : sligh	ht
Odor threshold : No a	applicable data available.
рН : 8.5	
Melting point/range : No a	applicable data available.
Boiling point/boiling range : No a	applicable data available.
	3.34 °C ethod: closed cup
Evaporation rate : No a	applicable data available.
Flammability (solid, gas) : No	applicable data available.
Upper explosion limit : No	applicable data available.
	6 / 12

Version 2.1

Revision Date 07/14/2015	Ref. 130000123071	
Lower explosion limit	: No applicable data available.	
Vapour Pressure	: No applicable data available.	
Vapour density	: No applicable data available.	
Density	: 1.1 g/cm3	
Specific gravity (Relative density)	: No applicable data available.	
Water solubility	: miscible	
Solubility(ies)	: No applicable data available.	
Partition coefficient: n- octanol/water	: No applicable data available.	
Auto-ignition temperature	: No applicable data available.	
Decomposition temperature	: No applicable data available.	
Viscosity, kinematic	: No applicable data available.	
Viscosity, dynamic	: No applicable data available.	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable under recommended conditions of storage, use and temperature. Stable at normal temperatures and storage conditions.
Possibility of hazardous reactions	:	None reasonably foreseeable.
Conditions to avoid	:	Avoid extreme heat. Do not freeze.
Incompatible materials	:	Acids, bases and strong oxidizing agents
Hazardous decomposition products	:	No decomposition if stored and applied as directed. Under fire conditions:, Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).



Safety	Data	Sheet
--------	------	-------

Version 2.1

Revision Date 07/14/2015

Ref. 130000123071

SECTION 11. TOXICOLOGICAL INFOR	MA	ΓΙΟΝ
ARTISTRI <sup>®</sup> F700 CLEANING SOLUTION	N	
Further information	:	No data is available on the product itself.Information given is based on data on the components.
Ethane-1,2-diol Inhalation	:	no data available
Dermal LD50	:	> 3,500 mg/kg , Mouse
Oral LD50	:	1,650 mg/kg , Cat
Skin irritation	:	No skin irritation, Rabbit
Eye irritation	:	No eye irritation, Rabbit
Skin sensitization	:	Does not cause skin sensitisation., human
Repeated dose toxicity	:	Oral Rat
		- Target Organs: Kidney Kidney damage
Carcinogenicity	:	Not classifiable as a human carcinogen. Animal testing did not show any carcinogenic effects.
Mutagenicity	:	Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Reproductive toxicity	:	No toxicity to reproduction No effects on or via lactation Animal testing showed no reproductive toxicity.
Teratogenicity	:	Evidence suggests the substance is not a developmental toxin in animals.
Aliphatic alcohol		
Inhalation 4 h LC50	:	> 5 mg/l , Rat
Dermal LD50	:	20,800 mg/kg , Rabbit
		8 / 12





Version 2.1

Revision Date 07/14/2015	Ref. 130000123071
Oral LD50 :	20,000 mg/kg , Rat
Skin irritation :	slight irritation, Rabbit
Eye irritation :	slight irritation, Rabbit
Skin sensitization :	Patch test on human volunteers did not demonstrate sensitisation properties., human
Carcinogenicity :	Not classifiable as a human carcinogen. Did not show carcinogenic effects in animal experiments.
Mutagenicity :	Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Reproductive toxicity :	No toxicity to reproduction Evidence suggests the substance is not a reproductive toxin in animals.
Teratogenicity :	Did not show teratogenic effects in animal experiments.

Carcinogenicity

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

 SECTION 12. ECOLOGICAL INFORMATION

 Aquatic Toxicity

 Ethane-1,2-diol

 96 h
 LC50

 96 h
 ErC50

 48 h
 EC50

 Ethaneare (Water flea) > 100 mg/l

 96 h
 EC50

 97 12



Version 2.1

Revision Date 07/14/2015		Ref. 130000123071
Aliphotic clochol		
Aliphatic alcohol 96 h LC50	:	Oncorhynchus mykiss (rainbow trout) 51,600 mg/l
96 h EC50	:	Pseudokirchneriella subcapitata (green algae) 19,000 mg/l
48 h LC50	:	Daphnia magna (Water flea) 43,500 mg/l
Environmental Fate		
Ethane-1,2-diol Biodegradability	:	Readily biodegradable 90 - 100 % OECD Test Guideline 301
Bioaccumulation	:	Bioaccumulation is unlikely.
Aliphatic alcohol Biodegradability	:	79 % Readily biodegradable
Bioaccumulation	:	Bioconcentration factor (BCF) : 1.4 Bioaccumulation is unlikely.
Additional ecological information	:	No data is available on the product itself. Information given is based on data on the components.
SECTION 13. DISPOSAL CONSIDERA		IS
		cling is not practicable, dispose of in compliance with local regulations. Place unused product down any indoor or out door drain.

Waste disposal methods -	Do not reuse empty container.	
Container	Contaminated/not cleaned containers should be treated/handled	I like product
	waste.	
	Dispose of container properly.	
	Refer to applicable Local, State/Provincial, and Federal Regulatias industry Standards.	ions, as well

### Contaminated packaging : No applicable data available.

### SECTION 14. TRANSPORT INFORMATION

Safety	Data	Sheet
--------	------	-------

Version 2.1

Revision Date 07/14/2015

Ref. 130000123071

Not classified as dangerous in the meaning of transport regulations.

#### SECTION 15. REGULATORY INFORMATION

TSCA	: On the inventory, or in compliance with the inventory
SARA 313 Regulated Chemical(s)	: Ethane-1,2-diol
PA Right to Know Regulated Chemical(s)	: Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Aliphatic alcohol, Ethane-1,2-diol
NJ Right to Know Regulated Chemical(s)	: Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Aliphatic alcohol, Ethane-1,2-diol
CERCLA Reportable Quantity	: 100503 lbs Based on the percentage composition of this chemical in the product.: Ethane-1,2-diol
California Prop. 65	: Chemicals known to the State of California to cause cancer, birth defects or any other harm: none known

#### **SECTION 16. OTHER INFORMATION**

The DuPont Oval Logo is a registered trademark of E.I. du Pont de Nemours and Company.

Revision Date : 07/14/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Version 2.1

Revision Date 07/14/2015

Ref. 130000123071

Significant change from previous version is denoted with a double bar.