

SAFETY DATA SHEET

Revision Date Nov-18-2021 **Revision Number**

1 1

1. IDENTIFICATION

Product identifier

Product code SAPPHIRE-MTFL

Product name Maintenance Fluid (Cleaning Solution)

Product category Sapphire Series

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use
Recommended use Industrial Printing Operations

Details of the supplier of the safety data sheet

M&R Printing Equipment, Inc. 440 Medinah Rd. Roselle, IL 60172-2329 (800) 736-6431

Emergency telephone number(s)

For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident, call Chemtrec - Within US and Canada: (800) 424-9300 / Outside US and Canada: +1 (703) 741-5970

2. HAZARDS IDENTIFICATION

Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Signal Word

None

Hazards not otherwise classified (HNOC)

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Component	CAS-No	Weight %	Trade Secret	Note
Deionized water	7732-18-5	60 - 80	*	
Diethylene glycol	111-46-6	10 - 30	*	
Diethylene glycol monobutyl ether	112-34-5	5 - 10	*	
Triethanolamine	102-71-6	0.1 - < 1	*	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

_

Inhalation

Ingestion

Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention if irritation develops and

persists.

Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes. Remove

contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention. Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or

stopped, administer artificial respiration. Get medical attention immediately.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed

None under normal use conditions.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and

clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people

away from and upwind of spill/leak.

Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

7. HANDLING AND STORAGE

Precautions for safe handling

HandlingUse personal protective equipment as required. Do not eat, drink or smoke when using this

_

product. Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

open flames, hot surfaces and sources of ignition. Keep container closed when not in use.

Keep out of the reach of children. Do not freeze.

Incompatible Products Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits

Component	ACGIH TLV
Diethylene glycol monobutyl ether	TWA: 10 ppm inhalable fraction and vapor
112-34-5	
Triethanolamine	TWA: 5 mg/m ³
102-71-6	

Component	Ontario TWAEV
Diethylene glycol monobutyl ether	TWA: 10 ppm inhalable fraction and vapor
112-34-5	
Triethanolamine	TWA: 0.5 ppm
102-71-6	TWA: 3.1 mg/m ³

Component	Mexico OEL (TWA)
Triethanolamine	TWA/VLE-PPT: 5 mg/m ³
102-71-6	-

Appropriate engineering controls

Engineering Measures

Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are advised to consider national Occupational Exposure Limits or other equivalent values. In case of insufficient ventilation, wear suitable respiratory equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear

suitable face shield. Ensure that eyewash stations and safety showers are close to the

workstation location.

Skin Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Hand Protection Chemical resistant protective gloves.

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding >480 minutes of permeation time): eg. nitrile rubber (0.4 mm), chloroprene

rubber (0.5 mm), polyvinylchloride (0.7 mm) and other

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers. Taking into account the varying conditions, the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time

determined through testing.

Due to different glove types, the manufacturer's directions for use should be observed. Replace gloves immediately when torn or any change in appearance is noticed such as

dimension, color, flexibility.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

No data available

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Color Colored Liquid

Odor No information available **Odor Threshold** No information available

Remarks • Method **Property Values** Hq No data available No data available **Melting Point / Freezing Point**

Boiling Point / Boiling Range 100 °C / 212 °F

Flash Point 94 °C / > 201 °F No data available

Evaporation rate No data available Flammability Limit in Air

Upper flammability limit No data available Lower flammability limit No data available

Vapor Pressure No data available **Vapor Density** No data available

Specific Gravity 1.02

Water Solubility No data available Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available **Autoignition Temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available

No data available

73.91

Dynamic viscosity No data available **Explosive Properties**

Other Information

Oxidizing Properties

Photochemically Reactive No Weight Per Gallon (lbs/gal) 8.5

VOC by weight % (less water)	VOC by volume % (less water)	VOC lbs/gal (less water)	VOC grams/liter (less water)
100	No information available	8.65	1036.89
Volatile by weight % (including Water)	Water by weight %		

10. STABILITY AND REACTIVITY

Reactivity

No information available.

100

_

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Do not freeze.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

InhalationSpecific test data for the substance or mixture is not available.Eye ContactSpecific test data for the substance or mixture is not available.Skin ContactSpecific test data for the substance or mixture is not available.IngestionSpecific test data for the substance or mixture is not available.

Component	Oral LD50
Deionized water 7732-18-5	> 90 mL/kg (Rat)
	= 12565 mg/kg (Rat)
Diethylene glycol monobutyl ether 112-34-5	= 5660 mg/kg (Rat)
Triethanolamine 102-71-6	= 4190 mg/kg (Rat)

Component	Dermal LD50
Diethylene glycol 111-46-6	= 11890 mg/kg (Rabbit)
Diethylene glycol monobutyl ether 112-34-5	= 2700 mg/kg (Rabbit)
Triethanolamine 102-71-6	> 20000 mg/kg (Rabbit)

Component	Inhalation LC50
Diethylene glycol	> 4600 mg/m³ (Rat) 4 h
111-46-6	

Information on toxicological effects

Symptoms Specific test data for the substance or mixture is not available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationSpecific test data for the substance or mixture is not available.Eye damage/irritationSpecific test data for the substance or mixture is not available.IrritationSpecific test data for the substance or mixture is not available.CorrosivitySpecific test data for the substance or mixture is not available.SensitizationSpecific test data for the substance or mixture is not available.Mutagenic EffectsSpecific test data for the substance or mixture is not available.Carcinogenic effectsSpecific test data for the substance or mixture is not available.

_

Reproductive Effects
Specific test data for the substance or mixture is not available.
STOT - single exposure
STOT - repeated exposure
Chronic Toxicity
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 2,500.00

12. ECOLOGICAL INFORMATION

Ecotoxicity

Specific test data for the substance or mixture is not available.

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Diethylene glycol monobutyl ether	96h EC50 Desmodesmus subspicatus: > 100 mg/L
112-34-5	
Triethanolamine	96h EC50 Desmodesmus subspicatus: = 169 mg/L
102-71-6	72h EC50 Desmodesmus subspicatus: = 216 mg/L

Component	Fish
Diethylene glycol	96h LC50 Pimephales promelas: = 75200 mg/L (flow-through)
111-46-6	
Diethylene glycol monobutyl ether	96h LC50 Lepomis macrochirus: = 1300 mg/L (static)
112-34-5	
Triethanolamine	96h LC50 Lepomis macrochirus: 450 - 1000 mg/L (static)
102-71-6	96h LC50 Pimephales promelas: 10600 - 13000 mg/L
	(flow-through)
	96h LC50 Pimephales promelas: > 1000 mg/L (static)

Component	Crustacea
Diethylene glycol	48h EC50 Daphnia magna: = 84000 mg/L
111-46-6	
Diethylene glycol monobutyl ether	48h EC50 Daphnia magna: > 100 mg/L
112-34-5	

Persistence and Degradability

No information available.

Bioaccumulation

No information available

Component	Partition coefficient
Diethylene glycol 111-46-6	-1.98
Triethanolamine 102-71-6	-2.53

_

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Contain and dispose of waste according to local regulations.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

Note: This information is not intended to convey all specific transportation requirements relating to

this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation information can be found in the specific regulations for your mode of transportation. It is the responsibility of the transporting organization to follow all applicable laws, regulations

and rules relating to the transportation of the material.

DOT Not regulated

ICAO / IATA / IMDG / IMO Not Regulated

15. REGULATORY INFORMATION

International Inventories

All components are listed on the TSCA Inventory. For further information, please contact:. Supplier (manufacturer/importer/downstream user/distributor).

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

of chemicals which are subject to the reporting requirements of the rot and this 40 of the code of redefair regulations, i art or 2.			
Component	CAS-No	Weight %	SARA 313 - Threshold
			Values
Diethylene glycol monobutyl ether	112-34-5	5 - 10	1.0

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:.

Component	CAS-No	Weight %
Diethylene glycol monobutyl ether	112-34-5	5 - 10

U.S. State Regulations

Component	Massachusetts Right To Know
Triethanolamine	X
102-71-6	

	Minnesota Right To Know
Diethylene glycol 111-46-6	X
Triethanolamine 102-71-6	X

_

	New Jersey Right To Know
Diethylene glycol monobutyl ether 112-34-5	X
Triethanolamine 102-71-6	X

	Pennsylvania Right To Know
Deionized water 7732-18-5	X
Diethylene glycol 111-46-6	x
Diethylene glycol monobutyl ether 112-34-5	X
Triethanolamine 102-71-6	X

California Proposition 65

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects

Canada

Component	NPRI - National Pollutant Release Inventory	
Diethylene glycol	Part 4 Substance (as set out in Section 65 of the List of Toxic	
111-46-6	Substances in Schedule 1 of the Canadian Environmental	
	Protection Act, 1999)	
Diethylene glycol monobutyl ether	Part 5, Other Groups and Mixtures (total of CAS 112-07-2, CAS	
112-34-5	112-15-2, CAS 112-25-4, CAS 112-34-5, CAS 5131-66-8, CAS	
	107-98-2, CAS 109-59-1, CAS 111-90-0, CAS 124-17-4, CAS	
	1569-01-3, CAS 1569-02-4, CAS 2807-30-9, CAS 29911-27-1,	
	CAS 29911-28-2, CAS 34590-94-8, CAS 54839-24-6, CAS	
	623-84-7, CAS 88917-22-0 and their isomers, listed under Other	
	Glycol ethers and acetates (and their isomers)) Part 4 Substance	
	(as set out in Section 65 of the List of Toxic Substances in	
	Schedule 1 of the Canadian Environmental Protection Act, 1999)	
Triethanolamine	Part 4 Substance (as set out in Section 65 of the List of Toxic	
102-71-6	Substances in Schedule 1 of the Canadian Environmental	
	Protection Act, 1999)	

16. OTHER INFORMATION				
HMIS:	Health 2	Flammability	Reactivity 0	Personal Protection

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

_

NTP: (National Toxicity Program)

Known - Known Carcinogen
Reasonably Anticipated to be a Human Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Revision Date Nov-18-2021

Pursuant to NOM-018-STPS-2015

This information within is considered correct but is not exhaustive and will be used for guidance only, which is based on the current knowledge of the substance or mixture and is applicable to the appropriate safety precautions for the product.

<u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet